

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

CBD Honey

Sample ID: G4I0228-01

Matrix: Hemp Products

Test ID: 5036437 Source ID:

Date Sampled: 09/24/24

Date Accepted: 09/24/24

Batch Lot ID: Lot 333

Harvest/Prod. Date: 09.24.2024

Bumble B. Well

Results at a Glance

Total THC: <LOQ (0.0003%) %

Total CBD: 0.4116 %



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

CBD Honey

Sample ID: G4I0228-01

Matrix: Hemp Products

Test ID: 5036437 Source ID:

Date Sampled: 09/24/24

Date Accepted: 09/24/24

Batch Lot ID: Lot 333

Harvest/Prod. Date: 09.24.2024

Bumble B. Well

Potency Analysis Analysis Method/SOP: 215 Batch Identification: 2439011 Date/Time Extracted: 09/24/24 14:50 **Cannabinoids Profile** Cannabinoids LOQ (%) mg/g Total THC 0.0003 < LOQ Total CBD 0.0003 4.116 THCA 0.0003 < LOQ delta 9-THC 0.0003 < LOQ delta 8-THC 0.0124 < LOQ THCV 0.0097 < LOQ **THCVA** 0.0145 < LOQ CBD 0.0003 4.116 **CBDA** 0.0003 < LOQ CBD 0.4 **CBDV** 0.0100 < LOQ Total: 0.4 **CBDVA** 0.0137 < LOQ < LOQ **CBN** 0.0089 CBG 0.0104 < LOQ

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

CBGA

CBC

0.0138

0.0131

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.

< LOQ

< LOQ

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Quality Control Potency

Batch: 2439011 - 215-Products

Blank(2439011-BLK1)								
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	< LOQ	0.0020	%		09/24/24 14:50	09/24/24 17:12		
delta 9-THC	< LOQ	0.0020	%		09/24/24 14:50	09/24/24 17:12		
delta 8-THC	< LOQ	0.0754	%		09/24/24 14:50	09/24/24 17:12		
THCV	< LOQ	0.0589	%		09/24/24 14:50	09/24/24 17:12		
THCVA	< LOQ	0.0881	%		09/24/24 14:50	09/24/24 17:12		
CBD	< LOQ	0.0020	%		09/24/24 14:50	09/24/24 17:12		
CBDA	< LOQ	0.0020	%		09/24/24 14:50	09/24/24 17:12		
CBDV	< LOQ	0.0606	%		09/24/24 14:50	09/24/24 17:12		
CBDVA	< LOQ	0.0832	%		09/24/24 14:50	09/24/24 17:12		
CBN	< LOQ	0.0544	%		09/24/24 14:50	09/24/24 17:12		
CBG	< LOQ	0.0633	%		09/24/24 14:50	09/24/24 17:12		
CBGA	< LOQ	0.0839	%		09/24/24 14:50	09/24/24 17:12		
CBC	< LOQ	0.0794	%		09/24/24 14:50	09/24/24 17:12		

Reference(2439011-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	91.2	0.0049	%	90-110	09/24/24 14:50	09/24/24 17:35	
delta 9-THC	95.2	0.0049	%	90-110	09/24/24 14:50	09/24/24 17:35	
delta 8-THC	91.1	0.1891	%	90-110	09/24/24 14:50	09/24/24 17:35	
CBD	92.9	0.0049	%	90-110	09/24/24 14:50	09/24/24 17:35	
CBDA	97.1	0.0049	%	90-110	09/24/24 14:50	09/24/24 17:35	



Shorten Hunker



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.

Results do not include uncertainty of measurements. Available upon request.

ATM BLI	Non-cannabis matrix related interference or suppression of Internal standard Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
C	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples.

Internal Standard concentration outside control limit due to matrix interference

